



## **ACROTECH UV – 275**

(U.V. Curable Over Print Medium)

**TYPE** : Low Odour U.V Curable Over Print Medium

### **PHYSICAL PROPERTIES**

**VISCOSITY** : 38 ± 4 sec  
Ford Cup B #4 at 30°C

**GLOSS at 60°** : 85 to 95

**CURING CONDITIONS** : 80 feet/min using 200 Watts/inch lamp intensity

**RECOMMENDED USES** : **Acrotech UV 275** is High Gloss Low Odour UV curable Over Print Medium for offline application on conventional roller coating or varnishing machine.

Roller can be cleaned using UV Kleansol 106

**STORAGE** : Store in cool and dry place.  
Away from direct sunlight.

**PRECAUTIONS** : Stir well before use.  
Close the lid tightly after use

**SHELF LIFE** : 6 Months from the date of manufacturing if stored properly in original packed condition, maintained strictly under recommended storage conditions.

**DISCLAIMER:** This information contained herein is believed to be accurate & presented in good faith. We do disclaim any liability resulting from the use of the contents of this information Since we cannot control and anticipate the conditions under which this product is used, we do not guarantee that similar results will be obtained by others. Appropriate lab & field trials under intended application and service conditions must be thoroughly evaluated by the user of this product to determine its suitability for a particular application. Any further modification / addition to this product will not be liable for any claim or compensation on M/s Arofine Polymers Pvt Ltd due to any fault arising after the use of the modified product. We reserve the right to alter or change specification without prior notice.

**Website:** [www.arofines.in](http://www.arofines.in) | **Email:** [sales@arofines.in](mailto:sales@arofines.in)



**A!ROFINE POLYMERS**  
P R I V A T E L I M I T E D

Registered Office: S-42, MIDC, Bhosari,  
Pune - 411 026, Maharashtra, India.  
PH: +91 20 2712 1610 / 2712 0681 / 2712 7822  
Web: [www.arofines.in](http://www.arofines.in) | Email : [sales@arofines.in](mailto:sales@arofines.in)

TDS 010 w.e.f.: December 2017

**DISCLAIMER:** This information contained herein is believed to be accurate & presented in good faith. We do disclaim any liability resulting from the use of the contents of this information. Since we cannot control and anticipate the conditions under which this product is used, we do not guarantee that similar results will be obtained by others. Appropriate lab & field trials under intended application and service conditions must be thoroughly evaluated by the user of this product to determine its suitability for a particular application. Any further modification / addition to this product will not be liable for any claim or compensation on M/s Arofine Polymers Pvt Ltd due to any fault arising after the use of the modified product. We reserve the right to alter or change specification without prior notice.

**Website:** [www.arofines.in](http://www.arofines.in) | **Email:** [sales@arofines.in](mailto:sales@arofines.in)