



AROCRYL 455
(PRINT LAMINATION EMULSION)

TYPE : Synthetic Emulsion for Lamination

PHYSICAL CONSTANTS

APPEARANCE : White, free flowing emulsion.

VISCOSITY : 1,800 - 3,500 cps
Brookfield viscometer (RVT)
Spindle # 3 at 20 r.p.m. at 30°C

pH : 5.0 – 6.0

RECOMMENDED USE : **AROCRYL 455** is specially formulated high yield lamination emulsion for BOPP and MET-PET film.

PACKING : 50 Kg Carboy

STORAGE : Store in cool and dry place.
Away from direct sunlight.

SHELF LIFE : 6 Months from the date of manufacturing if stored properly in original packed condition, maintained strictly under recommended storage conditions.

TDS 053 w.e.f.: November 2017

DISCLAIMER: This information contained herein is believed to be accurate & presented in good faith. We do disclaim any liability resulting from the use of the contents of this information Since we cannot control and anticipate the conditions under which this product is used, we do not guarantee that similar results will be obtained by others. Appropriate lab & field trials under intended application and service conditions must be thoroughly evaluated by the user of this product to determine its suitability for a particular application. Any further modification / addition to this product will not be liable for any claim or compensation on M/s Arofine Polymers Pvt Ltd due to any fault arising after the use of the modified product. We reserve the right to alter or change specification without prior notice.

Website: www.arofines.in | Email: sales@arofines.in



A!ROFINE POLYMERS
P R I V A T E L I M I T E D

Registered Office: S-42, MIDC, Bhosari,
Pune - 411 026, Maharashtra, India.
PH: +91 20 2712 1610 / 2712 0681 / 2712 7822
Web: www.arofines.in | Email : sales@arofines.in

DISCLAIMER: This information contained herein is believed to be accurate & presented in good faith. We do disclaim any liability resulting from the use of the contents of this information Since we cannot control and anticipate the conditions under which this product is used, we do not guarantee that similar results will be obtained by others. Appropriate lab & field trials under intended application and service conditions must be thoroughly evaluated by the user of this product to determine its suitability for a particular application. Any further modification / addition to this product will not be liable for any claim or compensation on M/s Arofine Polymers Pvt Ltd due to any fault arising after the use of the modified product. We reserve the right to alter or change specification without prior notice.

Website: www.arofines.in | Email: sales@arofines.in